

RefMat No



Included in  
COMAR Database:  
Green 1 --> YES  
Blue 0 --> NO

Category 1	<input type="text" value="Periodic Step"/>
Category 2	<input type="text"/>
Category 3	<input type="text"/>
Category 4	<input type="text"/>
Category 5	<input type="text"/>

Type\_of\_RefMat:

Name of RM: **etched silicon lines**

Description: **etched silicon lines; still R&D ?**

Link: <http://www.nist.gov/sigmaxi/2008%20Posters/39.%20CWang%20Sigma%20Xi%202008.htm>

Certified Quantities					
<b>lateral distance</b>	MeanValue	<b>50</b>	<b>nm</b>	Uncertainty	<input type="text"/>
	MeanValue	<input type="text"/>	<input type="text"/>	Uncertainty	<input type="text"/>
	MeanValue	<input type="text"/>	<input type="text"/>	Uncertainty	<input type="text"/>
	MeanValue	<input type="text"/>	<input type="text"/>	Uncertainty	<input type="text"/>
	MeanValue	<input type="text"/>	<input type="text"/>	Uncertainty	<input type="text"/>

Calibration of	<input type="text" value="TEM"/>
Calibration of	<input type="text" value="AFM"/>
Calibration of	<input type="text" value="REM"/>
Calibration of	<input type="text"/>
Calibration of	<input type="text"/>

Characterised by	<input type="text" value="AFM"/>
Characterised by	<input type="text" value="TEM"/>
Characterised by	<input type="text" value="REM"/>
Characterised by	<input type="text"/>
Characterised by	<input type="text"/>

2 Provider  Provider No

Provider No	<input type="text" value="11"/>	Web address	<input type="text" value="http://www.nist.gov/index.html"/>
Provider	<b>NIST (National Institute of Standards and Technology)</b>		
Contact Person	<input type="text"/>	Country	<input type="text" value="USA"/>
Email	<input type="text" value="inquiries@nist.gov"/>	City	<input type="text" value="Gaithersburg"/>
Phone	<input type="text" value="(301) 975-NIST"/>	City Code	<input type="text" value="MD 20899-1070"/>
		Street + No	<input type="text" value="100 Bureau Drive"/>